

## **000-891 IBM certifications I IBM IBM Tivoli Federated Identity Manager V6.1**

**Practice Exam:** 000-891 Exams

**Exam Number/Code:** 000-891

**Exam Name:** IBM Tivoli Federated Identity Manager V6.1

**Questions and Answers:** 140 Q&As

( [IBM certifications I](#) )



Exam : [000-891](#)

"IBM Tivoli Federated Identity Manager V6.1", also known as 000-891 exam, is a IBM certification. With the complete collection of questions and answers, TestInside has assembled to take you through 140 Q&As to your 000-891 Exam preparation. In the 000-891 exam resources, you will cover every field and category in IBM Certification helping to ready you for your successful IBM Certification.

Quality and Value for the 000-891 Exam TestInside Practice Exams for IBM **IBM certifications I** Certification 000-891 are written to the highest standards of technical accuracy, using only certified subject matter experts and published authors for development.

### **TestInside provide the professional Q&A.**

1. We offer free update service for three month.

After you purchase our product, we will offer free update in time for three month.

2. High quality and Value for the 000-891 Exam.

000-891 simulation test questions, including the examination question and the answer, complete by our senior IT lecturers and the IBM certifications I product experts, included the current newest 000-891 examination questions.

3. 100% Guarantee to Pass Your IBM certifications I exam and get your IBM certifications I Certification.

If you do not pass the IBM Certification 000-891 exam (IBM Tivoli Federated Identity Manager V6.1) on your first attempt using our TestInside testing engine and pdf file, we will give you a FULL REFUND of your purchasing fee.

### **use TestInside 000-891 Q&A ensure you pass the exam at your first try.**

TestInside professional provide IBM certifications I 000-891 the newest Q&A, completely covers 000-891 test original topic. With our complete IBM certifications I resources, you will minimize your IBM certifications I cost and be ready to pass your 000-891 tests on Your First Try, 100% Money Back Guarantee included!

[IBM 000-891](#) Test belongs to one of the IBM certifications I certified test, if needs to obtain the IBM certifications I certificate, you also need to participate in other related test, the details you may visit the [IBM certifications I](#) certified topic, in there, you will see all related IBM certifications I certified subject of examination.

### **TestInside Testing Engine Features**

Comprehensive questions and answers about 000-891 exam

000-891 exam questions accompanied by exhibits

Verified Answers Researched by Industry Experts and almost 100% correct

000-891 exam questions updated on regular basis

Same type as the certification exams, 000-891 exam preparation is in multiple-choice questions (MCQs).

Tested by multiple times before publishing

Try free 000-891 exam demo before you decide to buy it in Test-Inside.com.

Note: This pdf demo do not include the question's picture.

Exam : IBM 000-891

Title : IBM Tivoli Federated Identity Manager V6.1

1. What must be done after adding a partner to a Federated-Single Sign-On (F-SSO) Federation to allow the partner's users to Single Sign-On (SSO)?

- A. restart WebSEAL
- B. enable the Partner
- C. stop/restart IBM Tivoli Directory Server
- D. restart Integrated Solutions Console (ISC)

Answer: B

2. Which two software components are prerequisite products for the Common Audit and Reporting Service (CARS) event server? (Choose two.)

- A. IBM DB2 Server
- B. Crystal Enterprise Server
- C. IBM Tivoli Directory Server
- D. IBM WebSphere Application Server
- E. IBM Tivoli Access Manager Authorization Server

Answer: AD

3. Which XSL if statement checks for the existence of a homepage attribute within an STS Universal User XML structure?

- A. `<xsl:if test="//stsuser:AttributeList/stsuser:Attribute[attr='homepage']">`
- B. `<xsl:if test="//stsuser:AttributeList/stsuser:Attribute[@name='homepage']">`
- C. `<xsl:if-exists="//stsuser:AttributeList/stsuser:Attribute/custom:Homepage">`
- D. `<xsl:if-exists="//stsuser:AttributeList/stsuser:Attribute[@name='homepage']">`

Answer: B

4. Which security token may carry user attribute information as part of the defined token format?

- A. Kerberos
- B. RACF Token
- C. SAML Assertion
- D. Username Token

Answer: C

5. RBTelco is a large multinational company that outsources health care benefit management to RBBenefits. RBTelco employees access RBBenefits resources through an authenticate-able account at each company. RBBenefit and RBTelco will use SAML V1.0.

Which IBM Tivoli Access Manager for e-business (ITAMeb) and IBM Tivoli Federated Identity Manager (ITFIM) components are required to be installed at RBTelco?

- A. TAMeb Runtime, TAMeb Policy Server, TAMeb Authorization Server, TAMeb WebSEAL Server, ITFIM Runtime and Management Services, ITFIM Management Console
- B. TAMeb Runtime, TAMeb Policy Server, TAMeb Authorization Server, TAMeb WebSEAL Server, ITFIM Runtime and Management Services, ITFIM Management Console, WebSEAL Application Developer Kit
- C. TAMeb Runtime, TAMeb Policy Server, TAMeb Authorization Server, TAMeb Java Runtime Environment, TAMeb WebSEAL Server, ITFIM Runtime and Management Services, ITFIM Management Console, WebSEAL Application

Developer Kit

D. TAMEb Runtime, TAMEb Policy Server, TAMEb Authorization Server, TAMEb Java Runtime Environment, TAMEb WebSEAL Server, ITFIM Runtime and Management Services, ITFIM Management Console, ITFIM Demonstration Scenarios, WebSEAL Application Developer Kit

Answer: A

6. What is the default message level configured for IBM Tivoli Federated Identity Manager?

- A. error messages only
- B. disable all messages
- C. error and warning messages only
- D. info, error and warning messages

Answer: D

7. You have successfully configured EchoClient and EchoApplication secured by Web Services Security Management (WSSM). You want to test that authorization is correctly being performed on the request. Which technique would allow you to do this?

- A. stop all running instances of PDACL
- B. log in to the EchoClient as a different IBM Tivoli Access Manager for e-business (TAMEb) user
- C. change the TAMEb ACL policy applying to the Web Services namespace
- D. update the authorization module configuration in the Trust Service using the IBM Tivoli Federated Identity Manager Console

Answer: C

8. When designing a system to use WS-Federation, which browser Single Sign-On (SSO) method should be used?

- A. Browser GET
- B. Browser POST
- C. Browser Artifact
- D. Browser Response

Answer: B

9. What are two functions of a custom mapping module? (Choose two.)

- A. records the token assertion
- B. maps a STSUUSER input to a SAML token
- C. looks up attributes in an external data source
- D. maps a user's alias during the account linkage operation in SAML 2.0 and Liberty 1.2 protocol
- E. maps a GUI XML attributes into UI controls that are used by the IBM Tivoli Federated Identity Manager Console to collect the input data

Answer: AC

10. Which statement is true about a Dynamic Chain Selection Module instance?

- A. It is the first module in the partner module chain in Web Services Security Management (WSSM).
- B. It is the last module in the partner module chain in WSSM.
- C. It is the first module in the application module chain for partner.
- D. It is the last module in the application module chain for the partner.

Answer: B

11. Which utility is used to configure the WebSEAL Server once the files are installed?

- A. pdadmin
- B. pdconfig
- C. web\_config
- D. config\_web

Answer: B

12. What is the default trace file (for Linux) that is used for the initial debugging of IBM Tivoli Federated Identity Manager Runtime?

- A. /opt/IBM/FIM/logs/< ITFIM Domain Name>/tivoli-common/FBT/logs/msg.log
- B. /opt/IBM/FIM/logs/< ITFIM Domain Name>/tivoli-common/FBT/logs/trace.log
- C. /opt/IBM/WebSphere/AppServer/profiles/<servername>/logs/<profile>/trace.log
- D. /opt/IBM/WebSphere/AppServer/profiles/<servername>/logs/<profile>/SystemOut.log

Answer: B

13. Click the Exhibit button.

When planning for secure communications between a partner and the Point of Contact, at what level is the SSL connection defined?

- A. each individual partner within a single federation
- B. all federations configured for an instance of IBM Tivoli Federated Identity Manager (ITFIM)
- C. each individual federation within an instance of ITFIM
- D. all federation functionality fronted by a single instance of IBM Tivoli Access Manager for e-business WebSEAL

Answer: C

14. When recovering from a disaster, the backup and restore operation you use is similar to the export/import configuration procedure, with one additional step. Which additional step must you take when recovering from a disaster?

- A. A new WebSphere profile is required to restore the configuration.
- B. The restored system requires the IBM Tivoli Access Manager for e-business (TAMeb) JRTE to be manually configured against the WebSphere's Java Runtime to allow the IBM Tivoli Federated Identity Manager (ITFIM) Runtime to function properly.
- C. The ITFIM Domain needs to be created manually within the Integrated Solution Console.
- D. The ITFIM Runtime instance needs to be re-registered with the TAMeb policy server by running the SvrSslCfg command.

Answer: C

15. Click the Exhibit button.

You want to use TCPMON between the two WS-Provisioning Service instances.

How do you configure the endpoint of the partner WS-Provisioning service (i.e., the destination of step 3) so that TCPMON can be used?

- A. modify the ITFIMClientID.properties file
- B. modify the ITFIMClientScript.constants file
- C. use the IBM Tivoli Federated Identity Manager Console to modify a custom runtime parameter
- D. use the WebSphere Application Server Administration Console to modify the WS-Provisioning application properties

Answer: C

16. Click the Exhibit button.

If an invalid username and password is entered on the EchoClient, which log files will be the first to record this (assuming all components have necessary logging and tracing enabled)?

- A. the PDAULD authentication audit log
- B. the EchoClient log during token generation
- C. IBM Tivoli Federated Identity Manager (ITFIM) tracing on AppSrv01 during token validation
- D. ITFIM tracing on AppSrv03 during an attempted JAAS login

Answer: A

17. What are three functions of a WebSphere Node Agent? (Choose three.)

- A. monitors performance
- B. manages JVM memory
- C. serves J2EE applications

- D. manages the deployment manager
- E. manages configuration synchronization
- F. routes administrative requests to servers

Answer: AEF

18. Which two tasks are required to install Service Integration Bus Web Services? (Choose two.)

- A. install the Resource Adapter
- B. configure SOAP listener port
- C. deploy the Service Integration Bus application
- D. install the Service Data Objects (SDO) Repository
- E. create a new WebSphere Application Server profile

Answer: AD

19. What limitations exist for a SAML Partner Provider ID configured at the Identity Provider?

- A. The Provider ID can be any string.
- B. The Provider ID can only include alphanumeric characters.
- C. The Provider ID must match the prefix of Target URLs in SSO requests.
- D. The Provider ID must match the Succinct ID configured at the Service Provider.

Answer: C

20. The configuration of a Web Services Security management (WSSM) Partner allows for the specification of XSL mapping rules. What is the input and output of these XSL mapping rules?

- A. The input to the XSL mapping rules of a WSSM Partner is the binary security token as received on the Web Service request. The output of the mapping rules is a new security token ready for use by the Web Service application.
- B. The input to the XSL mapping rules of a WSSM Partner is an STSUniversalUser XML document created from the security token received on the Web Service request. The output of the mapping rules is an arbitrary collection of attributes that will be made available to the Web Services application.
- C. The input to the XSL mapping rules of a WSSM Partner is an STSUniversalUser XML document created from the security token received on the Web Service request. The output of the mapping rules is a new STSUniversalUser XML document that represents the security token required by the application.
- D. The input to the XSL mapping rules of a WSSM Partner is an STSUniversalUser XML document created from the security token received on the Web Service request. The output of the mapping rules is an IBM Tivoli Access Manager for e-business credential that will be used to authorize the partner's access to the Web Service application.

Answer: C

### [More 000-891 Information](#)

#### **Related 000-891 Exams**

[000-974](#) *Power Systems Technical Support for i*

[000-223](#) *IBM System p Administrator*

[000-377](#) *Test 000-377, IBM WebSphere Application Server Network Deployment V7.0, Core Administration*

[000-015](#) *IBM Maximo Asset Management V7.1 Implementation*

[000-990](#) *Test 990, IBM WebSphere Bus Modeler Adv V6.0, Bus AnI+Design*

[000-417](#) *IBM WebSphere Information Analyzer v8.0*

[000-669](#) *SOA Fundamentals (2008)*

[000-316](#) *IBM WebSphere Integration Developer V6.1*

[000-667](#) *IBM Test 667, Architectural Design of SOA Solutions*

[000-913](#) *informix 4gl development*

[000-936](#) *IBM Tivoli Access Manager for e-business V6.1 Implementation*

000-431 IBM Tivoli Storage Manager V5.5 Administration

000-084 Modular Systems High Performance Servers

000-994 Test994,IBM Web Sphere MQ V6.0,System Administration

000-111 IBM Distributed Systems Storage Solutions Version 7

000-908 Tivoli Monitoring V6.2 Implementation

000-017 Foundations of Tivoli process automation engine V7.1

000-113 IBM Storage Solution Design Entry/Midrange DS Series V1

000-207 High End Taps Solutions Version 5

000-011 IBM Tivoli AP Dependency+Discovery Mgr V7.1 Implementation

### **Other IBM Exams**

000-J02      000-815      000-436      000-833      000-901      000-348      000-222      000-415

000-M08      000-025      000-541      000-742      LOT-735      000-936      000-789      000-217

000-287      000-376      000-M36      COG-125