

310-110 SCMAD

SUN Sun Certified Mobile Application Developer for J2ME. v1.0

Practice Exam: 310-110 Exams

Exam Number/Code: 310-110

Exam Name: Sun Certified Mobile Application Developer for J2ME. v1.0

Questions and Answers: 340 Q&As

([SCMAD](#))



Exam : [310-110](#)

"Sun Certified Mobile Application Developer for J2ME. v1.0", also known as 310-110 exam, is a SUN certification. With the complete collection of questions and answers, TestInside has assembled to take you through 340 Q&As to your 310-110 Exam preparation. In the 310-110 exam resources, you will cover every field and category in SUN Certification helping to ready you for your successful SUN Certification.

Quality and Value for the 310-110 Exam TestInside Practice Exams for SUN **SCMAD** Certification 310-110 are written to the highest standards of technical accuracy, using only certified subject matter experts and published authors for development.

TestInside provide the professional Q&A.

1. We offer free update service for three month.

After you purchase our product, we will offer free update in time for three month.

2. High quality and Value for the 310-110 Exam.

310-110 simulation test questions, including the examination question and the answer, complete by our senior IT lecturers and the SCMAD product experts, included the current newest 310-110 examination questions.

3. 100% Guarantee to Pass Your SCMAD exam and get your SCMAD Certification.

If you do not pass the SUN Certification 310-110 exam (Sun Certified Mobile Application Developer for J2ME. v1.0) on your first attempt using our TestInside testing engine and pdf file, we will give you a FULL REFUND of your purchasing fee.

use TestInside 310-110 Q&A ensure you pass the exam at your first try.

TestInside professional provide SCMAD 310-110 the newest Q&A, completely covers 310-110 test original topic. With our complete SCMAD resources, you will minimize your SCMAD cost and be ready to pass your 310-110 tests on Your First Try, 100% Money Back Guarantee included!

[SUN 310-110](#) Test belongs to one of the SCMAD certified test, if needs to obtain the SCMAD certificate, you also need to participate in other related test, the details you may visit the [SCMAD](#) certified topic, in there, you will see all related SCMAD certified subject of examination.

TestInside Testing Engine Features

Comprehensive questions and answers about 310-110 exam

310-110 exam questions accompanied by exhibits

Verified Answers Researched by Industry Experts and almost 100% correct

310-110 exam questions updated on regular basis

Same type as the certification exams, 310-110 exam preparation is in multiple-choice questions (MCQs).

Tested by multiple times before publishing

Try free 310-110 exam demo before you decide to buy it in Test-Inside.com.

Note: This pdf demo do not include the question's picture.

Exam : SUN 310-110

Title : Sun Certified Mobile Application Developer for J2ME, V1.0

1. Given:

10. //...

20. try {

21. Hashtable table = new Hashtable();

22. for (;;) table.put(new Object(), new Object());

23. } catch (OutOfMemoryException e) {

24. Display.getDisplay().setCurrent(new Alert("Out of Memory!"));

25. }

26. //...

Which is true?

A. Compilation fails.

B. The program hangs at line 22.

C. Out of Memory! is printed to the system console.

D. An exception is thrown at runtime but there is no guarantee an alert will be shown to the user.

Answer: D

2. Given:

RecordStore rs = null;

static final String REC_STORE = "appdata"; And, the record store does NOT already exist.

Which is the correct way to open the record store, requesting the record store be created?

A. rs = RecordStore.openRecordStore(REC_STORE);

B. rs = RecordStore.createRecordStore(REC_STORE);

C. rs = RecordStore.openRecordStore(REC_STORE, 1);

D. rs = RecordStore.createRecordStore(REC_STORE, 1);

E. rs = RecordStore.openRecordStore(REC_STORE, true);

F. rs = RecordStore.createRecordStore(REC_STORE, true);

Answer: E

3. Given:

a JAR containing a MIDlet named TesterMIDlet

a JAD with this content: CertificationExam:

Sun Certified Mobile Application DeveloperMIDlet-1: TesterMIDlet, , certification.TesterMIDlet MIDlet-Jar-Size: 2038

MIDlet-Jar-URL: Certification.jar MIDlet-Name: Certification MIDlet-Vendor: A Testing Company MIDlet-Version: 1.0

MicroEdition-Configuration: CLDC-1.0 MicroEdition-Profile: MIDP-2.0

This MIDlet needs to get the property with the key CertificationExam defined in the JAD. This needs to be assigned to a String ExamName from within the MIDlet.startApp() method.

What is the correct way to accomplish this?

A. String ExamName = System.getProperty("CertificationExam");

B. String ExamName = this.getAppProperty("CertificationExam");

C. String ExamName = System.getProperty("MIDlet-CertificationExam");

D. String ExamName = this.getAppProperty("MIDlet-CertificationExam");

Answer: B

4. Given the MIDlet code:

```
12. File f = new File("myFile.txt");
13. FileOutputStream ds = new FileOutputStream(f);
14. OutputStreamWriter os = new OutputStreamWriter(ds);
15. BufferedWriter buf = new BufferedWriter(os);
16. buf.write('c');
```

What is the result?

- A. The code compiles and runs, but line 16 is ignored.
- B. Compilation succeeds, but an exception is thrown at runtime.
- C. The code compiles and runs, and then writes the character c to the file myFile.txt.
- D. Compilation fails because the code uses one or more classes, which are not supported in CLDC 1.1.

Answer: D

5. //...

```
20. try {
21. Hashtable table = new Hashtable();
22. for (;;) table.put(new Object(), new Object());
23. } catch (OutOfMemoryException e) {
24. Display.getDisplay().setCurrent(new Alert("Out of Memory!"));
25. }
26. //...
```

Which is true?

- A. Compilation fails.
- B. The program hangs at line 22.
- C. Out of Memory! is printed to the system console.
- D. An exception is thrown at runtime but there is no guarantee an alert will be shown to the user.

Answer: D

6. Which two are true regarding record stores? (Choose two.)

- A. Record stores can be locked.
- B. Record store names are case insensitive.
- C. The first created in a record store has a record ID of 1.
- D. All records within a record store have the same length.
- E. When a MIDlet suite is removed, record store contents remain on the device.
- F. MIDlets within the same suite can access the record stores of other MIDlets in the same suite.
- G. MIDlets within the same suite CANNOT access the record stores of other MIDlets in the same suite.

Answer: CF

7. What is true when an enumeration applies both a RecordFilter class and RecordComparator class on a record store?

- A. The return order of the result set is undefined.
- B. All records will always be available as part of the enumeration result set.
- C. An enumeration CANNOT apply both a RecordFilter and RecordComparator.
- D. The records that match the search criteria in RecordComparator will be returned using the ordering defined by RecordFilter.
- E. The records that match the search criteria in RecordFilter will be returned using the ordering defined by RecordComparator.

Answer: E

8. Which is true regarding the use of Thread objects in a CLDC 1.1 compliant virtual machine?

- A. To stop a Thread, a developer can use the stop() method.
- B. A Thread can be stopped only from the inside of a MIDlet class.

- C. There is no way for one Thread to force another Thread to stop.
- D. A Thread lives until it exits from the run() method it invoked at startup.

Answer: D

9. What is the minimum volatile memory requirement identified by the CLDC 1.1 specification?

- A. 32 KB
- B. 64 KB
- C. 128 KB
- D. 160 KB

Answer: A

10. A MIDP 2.0 developer is building a game using the MIDP game API that requires user control over the direction of a Sprite within a GameCanvas. The developer wants to keep performance high and reduce memory use. Which two fulfill the goals? (Choose two.)

- A. suppress key events for the GameCanvas object
- B. implement keyPressed(), keyReleased(), and keyRepeated()
- C. poll for the current state of user key input in a loop, using getKeyStates()
- D. in the GameCanvas object, use actual key codes rather than mapped game action constants

Answer: AC

11. During a MIDlet suite installation, a JTWI-compliant device performs the following actions:

downloads and installs the JAD file

downloads the JAR file

fails to install the MIDlet suite

What is the correct behavior?

- A. The device must log the failure in persistent storage.
- B. The device must free the space allocated for that MIDlet suite.
- C. The device must save the JAD and the JAR file for future upgrading.
- D. The device must save the JAD file for future downloads of the same MIDlet suite.

Answer: B

12. The developer is designing a game that uses the LayerManager and Sprite classes. Three Sprite objects are added to a LayerManager object and a call is placed to the LayerManager.paint(Graphics, x, y) method. In what order are the Sprite objects rendered to the device display?

- A. The Sprites are rendered in a random order.
- B. The Sprites that are animated are rendered first.
- C. The Sprites are rendered in order of descending index.
- D. The Sprites are rendered in an implementation specific manner.

Answer: C

13. Which is used to retrieve the version of MIDP a device has implemented?

- A. System.getProperty("microedition.profiles")
- B. System.getProperty("microedition.platform")
- C. System.getAppProperty("microedition.platform")
- D. System.getAppProperty("microedition.profiles")
- E. System.getProperty("microedition.configuration")

Answer: A

14. A MIDlet has entered the paused state. Which is a valid action to attempt to make it active?

- A. The MIDlet calls its own startApp() method.
- B. The MIDlet has to wait quietly to be rescheduled.
- C. The MIDlet cannot revert back to the active state.
- D. The MIDlet calls resumeRequest() through a timer.

Answer: D

15. Given:

rs is an object of type javax.microedition.rms.RecordStore.

baos is an object of type java.io.DataOutputStream.

reclId is an int.

Which adds a record to rs?

A. byte [] b = baos.write();

```
try { reclId = rs.add(b, 0, b.length); }
```

```
catch (Exception e) { }
```

B. byte [] b = baos.toByteArray();

```
try { reclId = rs.add(b, 0, b.length); }
```

```
catch (Exception e) { }
```

C. byte [] b = baos.writeByteArray();

```
try { reclId = rs.add(b, 0, b.length); }
```

```
catch (Exception e) { }
```

D. byte [] b = baos.write();

```
try { reclId = rs.addRecord(b, 0, b.length); }
```

```
catch (Exception e) { }
```

E. byte [] b = baos.toByteArray();

```
try { reclId = rs.addRecord(b, 0, b.length); }
```

```
catch (Exception e) { }
```

F. byte [] b = baos.writeByteArray();

```
try { reclId = rs.addRecord(b, 0, b.length); }
```

```
catch (Exception e) { }
```

Answer: E

16. Which two are true about class file verification as defined by the CLDC specification? (Choose two.)

A. Verification is NOT required.

B. Verification can use a custom implementation.

C. Verification is completed at compile time and no further verification is necessary.

D. Verification can use the same implementation as defined in the JVM specification.

Answer: BD

17. Given:

```
12. class TestRecordListener implements RecordListener {
```

```
13. public void recordAdded(RecordStore rcs, int recordId) {
```

```
14. // ...
```

```
25. }
```

```
26. public void recordDeleted(RecordStore rcs, int recordId) {
```

```
27. // ...
```

```
33. }
```

```
34. public void recordChanged(RecordStore rcs, int recordId) {
```

```
35. // ...
```

```
43. }
```

```
44. }
```

If rs is a valid and open record store, how can you properly associate a record listener with rs?

A. rs.setRecordListener(new TestRecordListener())

B. rs.addRecordListener(new TestRecordListener())

C. rs.newRecordListener(new TestRecordListener())

D. rs.createRecordListener(new TestRecordListener())

Answer: B

18. Click the Exhibit button. The red collision rectangle around each Sprite in the image is NOT part of the actual image. The two Sprite objects intersect in the application precisely as shown. Which two are true? (Choose two.)

- A. For the two Sprite objects to be considered in collision, each Sprite must have no more than one frame.
- B. For the two Sprite objects to be considered in collision, `collidesWith()` must be invoked on both objects.
- C. The most efficient way to detect collision is to use collision detection based solely on the collision rectangles.
- D. If Sprite 1 is being tested for collision with Sprite 2 using pixel-level collision detection, the two Sprite objects will NOT be in collision.

Answer: CD

19. Given a MIDlet suite with the following JAD file:

1. MIDlet-1: MyMIDlet, MyMIDlet.png, MyMIDlet
2. MIDlet-Jar-Size: 23040
3. MIDlet-Name: MyFirstMIDlet
4. MIDlet-Version: 1.0
5. MIDlet-Jar-URL: <http://mywebserver.com/mymidlets/MyMIDlet.jar>
6. MIDlet-Vendor:

MyCompany and manifest file:

1. MIDlet-Name: MyFirstMIDlet
2. MIDlet-Version: 1.1
3. MIDlet-Vendor: MyCompany
4. MIDlet-1: MyMIDlet, MyMIDlet.png,

MyMIDlet Which is true about the installation?

- A. The installation succeeds.
- B. The installation fails due to an attribute mismatch.
- C. The installation fails because the JAD file is invalid.
- D. The installation fails because the manifest is invalid.

Answer: B

20. Which method in Canvas is overridden in GameCanvas?

- A. `paint()`
- B. `getGraphics()`
- C. `getKeyStates()`
- D. `flushGraphics()`
- E. `flushGraphics(int, int, int, int)`

Answer: A

[More 310-110 Information](#)

Related 310-110 Exams

[310-100](#) Sun Certified Data Management Engineer

[310-110](#) Sun Certified Mobile Application Developer for J2ME. v1.0

Other SUN Exams

[310-025](#) [310-879](#) [212-810](#) [212-083](#) [310-019](#) [310-083](#) [310-878](#) [310-815](#)

[310-220](#) [310-061](#) [310-](#) [310-091](#) [310-](#) [310-345](#) [310-625](#) [310-044](#)

[600Big5](#) [065Big5](#) [310-810](#) [310-012](#) [310-105](#)

[310-615](#)