



Same type as the certification exams, 642-845 exam preparation is in multiple-choice questions (MCQs).

Tested by multiple times before publishing

Try free 642-845 exam demo before you decide to buy it in Test-Inside.com.

Note: This pdf demo do not include the question's picture.

Exam : Cisco 642-845

Title : Optimizing Converged Cisco Networks

1. Which three configuration tasks are required to successfully deploy NBAR to recognize TCP and UDP stateful protocols? (Choose three.)

- A. Over leased lines, use the multilink ppp command to reduce latency and jitter, and to create Distributed Link Fragmentation and interleaving.
- B. Use the service-policy command to attach a traffic flow to an interface on the router.
- C. Use the ip rsvp bandwidth command to set a strict upper limit on the bandwidth NBAR uses, and to guarantee admission of any flows.
- D. Use the policy-map command to define one or more QoS policies (such as shaping, policing, and so on) to apply to traffic defined by a class map.
- E. Use the random-detect dscp command to modify the default minimum and maximum thresholds for the DSCP value.
- F. Use the class-map command to define one or more traffic classes by specifying the criteria by which traffic is classified.

Answer: BDF

2. What are the steps for configuring stateful NBAR for dynamic protocols?

- A. Use the command ip nbar protocol-discovery to allow identification of stateful protocols. Use the command ip nbar port-map to attach the protocols to an interface.
- B. Use the command match protocol rtp to allow identification of real-time audio and video traffic. Use the command ip nbar port-map to extend the NBAR functionality for well-known protocols to new port numbers.
- C. Use the command match protocol to allow identification of stateful protocols. Use the command ip nbar port-map to attach the protocols to an interface.
- D. Configure a traffic class. Configure a traffic policy. Attach the traffic policy to an interface.
- E. Configure video streaming. Configure audio streaming. Attach the codec to an interface.

Answer: D

3. Which two Cisco AutoQoS interface statements are true? (Choose two.)

- A. AutoQoS is supported on Frame Relay multipoint subinterfaces.
- B. AutoQoS is supported on low-speed ATM PVCs in point-to-point subinterfaces.
- C. AutoQoS is supported on serial PPP and HDLC interfaces.
- D. AutoQoS is supported only on Frame Relay main interfaces and not on any subinterface configuration.

Answer: BC

4. Which codec standard would provide the highest voice-quality, mean opinion score (MOS)?

- A. G.711, PCM
- B. G.728, LDCELP
- C. G.729, CS-ACELP
- D. G.729A, CS-ACELP

Answer: A

5. Which two wireless security statements are true? (Choose two.)

- A. A TACACS+ server is required to implement 802.1x.
- B. MIC protects against man-in-the-middle and replay attacks.

- C. The 802.1x standard provides encryption services for wireless clients.
- D. The AES (symmetric block cipher) is specified in the IEEE 802.11i specification.
- E. The IEEE 802.11i specification uses RC4 as its encryption mechanism.
- F. WPA requires TKIP and AES as encryption methods.

Answer: BD

6. Which two QoS statements are true about the use of the SDM QoS wizard? (Choose two.)

- A. Business-critical traffic includes VoIP and voice signaling packets.
- B. SDM can be used to configure a basic QoS policy for incoming traffic on WAN interfaces and IPsec tunnels.
- C. SDM can provide QoS for real-time traffic and business-critical traffic.
- D. SDM creates a custom-queuing (CQ) or a priority-queuing (PQ) policy.
- E. SDM creates a low latency queuing (LLQ) service policy with its associated classes.
- F. When allocating bandwidth, values can be entered in either bandwidth percentage or kilobytes per second (kBps).

Answer: CE

7. Which two statements are true about the implementation of QoS? (Choose two.)

- A. Implementing DiffServ involves the configuration of RSVP.
- B. Implementing IntServ allows QoS to be performed by configuring only the ingress and egress devices.
- C. Implementing IntServ involves the utilization of RSVP.
- D. Traffic should be classified and marked by the core network devices.
- E. Traffic should be classified and marked as close to the edge of the network as possible.

Answer: CE

8. Voice activity detection (VAD) suppresses the transmission of silence patterns. On average, and assuming that a link carries at least 24 calls, what percentage of total bandwidth could VAD save?

- A. 5
- B. 15
- C. 25
- D. 35
- E. 45
- F. 55

Answer: D

9. Which two statements are true about the function of CAC? (Choose two.)

- A. CAC provides guaranteed voice quality on a link.
- B. CAC artificially limits the number of concurrent voice calls.
- C. CAC is used to control the amount of bandwidth that is taken by a call on a link.
- D. CAC prevents oversubscription of WAN resources that is caused by too much voice traffic.
- E. CAC allows an unlimited number of voice calls while severely restricting, if necessary, other forms of traffic.
- F. CAC solves voice congestion problems by using QoS to give priority to UDP traffic.

Answer: BD

10. Which two statements regarding the Wireless LAN Solution Engine (WLSE) are true? (Choose two.)

- A. To support fault and policy reporting, the WLSE requires a Wireless Control System (WCS).
- B. When WLSE detects an AP failure, it automatically increases the power and cell coverage of nearby APs.
- C. WLSE requires the 2700 location appliance to offer location tracking.
- D. WLSE can locate rogue APs and automatically shut them down.
- E. WLSE configuration is done using the command line interface (CLI) or a WEB based template.

Answer: BD

[More 642-845 Information](#)

642-892 *Composite Exam*

642-901 *Building Scalable Cisco Internetworks*

642-825 *Implementing Secure Converged Wide Area Networks*

642-812 *Building Cisco Multilayer Switched Networks*

642-845 *Optimizing Converged Cisco Networks*

642-801 *Building Scalable Cisco Internetworks(BSCI)*

642-811 *Building Cisco Multilayer Switched Networks (BCMSN)*

642-891 *Composite Exam*

642-746 *Implementing Cisco Unified Wireless Mobility Services*

642-821 *Building Cisco Remote Access Networks (BCRAN)*

642-831 *Cisco Internetwork Troubleshooting (CIT)*

642-902 *implementing cisco ip routing*

642-813 *implementing cisco switched networks*

642-832 *Troubleshooting and maintaing cisco ip networks*

### **Other Cisco Exams**

640-821      646-976      650-059      350-023      350-040      642-291      646-362      642-731

646-171      642-446      646-046      642-542      642-242      642-611      642-112      642-055

642-425      642-811      642-062      642-961