

## 920-805 Other Nortel Certification Nortel Nortel Data Networking Technology


**Practice Exam:** 920-805 Exams

**Exam Number/Code:** 920-805

**Exam Name:** Nortel Data Networking Technology

**Questions and Answers:** 63 Q&As

( [Other Nortel Certification](#) )



Exam : [920-805](#)

"Nortel Data Networking Technology", also known as 920-805 exam, is a Nortel certification. With the complete collection of questions and answers, TestInside has assembled to take you through 63 Q&As to your 920-805 Exam preparation. In the 920-805 exam resources, you will cover every field and category in Nortel Certification helping to ready you for your successful Nortel Certification.

Quality and Value for the 920-805 Exam TestInside Practice Exams for Nortel **Other Nortel Certification** Certification 920-805 are written to the highest standards of technical accuracy, using only certified subject matter experts and published authors for development.

### **TestInside provide the professional Q&A.**

1. We offer free update service for three month.

After you purchase our product, we will offer free update in time for three month.

2. High quality and Value for the 920-805 Exam.

920-805 simulation test questions, including the examination question and the answer, complete by our senior IT lecturers and the Other Nortel Certification product experts, included the current newest 920-805 examination questions.

3. 100% Guarantee to Pass Your Other Nortel Certification exam and get your Other Nortel Certification Certification.

If you do not pass the Nortel Certification 920-805 exam (Nortel Data Networking Technology) on your first attempt using our TestInside testing engine and pdf file, we will give you a FULL REFUND of your purchasing fee.

### **use TestInside 920-805 Q&A ensure you pass the exam at your first try.**

TestInside professional provide Other Nortel Certification 920-805 the newest Q&A, completely covers 920-805 test original topic. With our complete Other Nortel Certification resources, you will minimize your Other Nortel Certification cost and be ready to pass your 920-805 tests on Your First Try, 100% Money Back Guarantee included!

[Nortel 920-805](#) Test belongs to one of the Other Nortel Certification certified test, if needs to obtain the Other Nortel Certification certificate, you also need to participate in other related test, the details you may visit the [Other Nortel Certification](#) certified topic, in there, you will see all related Other Nortel Certification certified subject of examination.

### **TestInside Testing Engine Features**

Comprehensive questions and answers about 920-805 exam

920-805 exam questions accompanied by exhibits

Verified Answers Researched by Industry Experts and almost 100% correct

920-805 exam questions updated on regular basis

Same type as the certification exams, 920-805 exam preparation is in multiple-choice questions (MCQs).

Tested by multiple times before publishing

Try free 920-805 exam demo before you decide to buy it in Test-Inside.com.

Note: This pdf demo do not include the question's picture.

Exam : Nortel 920-805

Title : Nortel Data Networking Technology

1. You are configuring a static route on an Ethernet Routing Switch (ERS). Which parameter must you specify? A. an IP address for device management purposes B. an interface IP address in the routing table for loop back C. an interface IP address of the next-hop router as a destination in the routing table D. an IP address for a network to be listed in the routing table by the network manager You are configuring a static route on an Ethernet Routing Switch (ERS). Which parameter must you specify?

- A. an IP address for device management purposes
- B. an interface IP address in the routing table for loop back
- C. an interface IP address of the next-hop router as a destination in the routing table
- D. an IP address for a network to be listed in the routing table by the network manager

Answer: D

2. Which function do Route policies on the Ethernet Routing Switch (ERS) perform?

- A. Route policies can flush and clear the IP routing table.
- B. OSPF redistribute function is used to propagate OSPF routes within a single area.
- C. RIP announce policies determine how RIP learned routes are represented in the routing table.
- D. BGP redistribute function may be used to advertise OSPF learned routes using BGP.

Answer: D

3. A corporation has decided to save money and buy remanufactured IP telephones. They purchased Phase 1 (One) IP telephones that do not support Power-over-Ethernet (PoE). The Ethernet Switches they purchased do supply PoE per the IEEE 802.3af specifications.

Which statement regarding the Phase 1 IP telephones is true?

- A. They must be plugged into AC power outlets to function.
- B. They can use a power splitter to receive both power and data from the Ethernet Switch.
- C. They can use a power splitter to receive both power and data from the Ethernet Switch, but must also be attached to an AC outlet to boot and acquire an IP address.
- D. They must be plugged into AC power outlets to boot and acquire an IP address. After the telephone is operating, it can operate off the Ethernet Switch only.

Answer: B

4. Which order is correct for these components in the Ethernet frame?

- A. destination MAC address, source MAC address, length/type field, data, FCS
- B. destination MAC address, source MAC address, data, length/type field, FCS
- C. source MAC address, destination MAC address, length/type field, data, FCS
- D. source MAC address, destination MAC address, data, length/type field, FCS

Answer: A

5. Equal Cost MultiPath (ECMP) provides the ability to load-balance Layer 3 links and also to provide redundancy.

When ECMP is enabled, which set of criteria initiates its use?

- A. OSPF and RIP have no overlapping network advertisements.
- B. OSPF or RIP have learned duplicate routes with the same cost or metric.
- C. OSPF and RIP have identical network advertisements with the same cost.

D. OSPF and RIP are used in parallel with network advertisements with different costs.

Answer: B

6. An Ethernet Routing Switch is building the routing table using default route precedence values. As it considers routes from various sources, which set of criteria does the routing table use to build its information?

- A. All sources are considered in a Weighted Round Robin order.
- B. RIP routes are considered at a higher precedence value than OSPF.
- C. OSPF routes have a lower precedence value than Static routes.
- D. BGP routes are always listed first and most important in the IP Routing Table.

Answer: B

7. Which statement about broadcast domains and collision domains is false?

- A. When a connection is Ethernet full-duplex, the collision domain only contains two devices.
- B. When a connection is Ethernet full-duplex, the broadcast domain only contains two devices.
- C. When a hub is used to connect devices, all ports are in the same collision domain but not in the same broadcast domain.
- D. When a switch with multiple VLANs is used to connect devices, all ports are in the same broadcast domain.

Answer: B

8. A department was moved from one floor to another. When the department was on the old floor, the users connected through a mixture of 10 Mb hubs and 10/100 Mb switches. When the department was moved all the hubs were replaced by 10/100 Mb switches.

Two of the users are reporting that the network is much slower on the new floor even though the hubs were replaced.

You discover that the switch ports these users connect to were used to connect to the hubs and are manually configured for 10Mb half-duplex. The PCs were connected to the switch and were manually configured for 100 Mb full-duplex.

What could have been done to avoid this issue?

- A. Auto-negotiation only needed to be enabled on the switch.
- B. Auto-negotiation should have been enabled on the switch ports and on the PCs.
- C. Auto-sensing only needed to be enabled on the switch.
- D. Auto-sensing should have been enabled on the switch ports and on the PCs.

Answer: B

9. You are designing a large network and are using Open Shortest Path First (OSPF) for its efficiency with convergence times and its amount of traffic control. Which statement describes how OSPF accomplishes this?

- A. The metric is dynamic for each link.
- B. The metric is independent of the link speed.
- C. The metric reflects the link speed.
- D. The metric is the same regardless of link speed.

Answer: C

10. A manufacturing company is building a new plant. The equipment in the plant has been known to cause interference with the network at other sites and they want to be sure that they choose a media that is resistant to electrical interference. Which type of cable should they use?

- A. thick coaxial cable
- B. fiber optic cable
- C. unshielded twisted pair
- D. plenum twisted pair

Answer: B

[More 920-805 Information](#)

## Related 920-805 Exams

<a href="#"><u>922-109</u></a>	<i>Communications Server 1000 RIs.6.0 BARS/NARS</i>
<a href="#"><u>922-101</u></a>	<i>Communication Server 1000 Linux Platform Architecture</i>
<a href="#"><u>922-111</u></a>	<i>Communication Server 1000 to RIs.6.0 Upgrades for Technicia</i>
<a href="#"><u>922-081</u></a>	<i>CallPilot RIs.5.0 Networking</i>
<a href="#"><u>920-457</u></a>	<i>CallPilot RIs.4.0 Unified Messaging Exam</i>
<a href="#"><u>922-104</u></a>	<i>Communication Server 1000 RIs.6.0 Upgrades for Engineers</i>
<a href="#"><u>922-071</u></a>	<i>BCM50 RIs.3.0 &amp; BCM200/400 RIs.4.0 Config &amp; Maintenance</i>
<a href="#"><u>920-110</u></a>	<i>NNCSS SL-100 Maintenance Certification Exam</i>
<a href="#"><u>922-098</u></a>	<i>Communication Server 1000 RIs.5.0 Troubleshooting</i>
<a href="#"><u>920-805</u></a>	<i>Nortel Data Networking Technology</i>
<a href="#"><u>920-806</u></a>	<i>Nortel Advanced Data Networking Technology</i>
<a href="#"><u>920-220</u></a>	<i>Nortel Converged Campus ERS Solution</i>
<a href="#"><u>920-502</u></a>	<i>nncss-optera metro 3000</i>
<a href="#"><u>920-569</u></a>	<i>nncds-optera metro solutions</i>
<a href="#"><u>920-246</u></a>	<i>Nortel WLAN 2300 RIs.5.0 Implementation &amp; Management</i>
<a href="#"><u>920-520</u></a>	<i>Nortel Agile Communication Environment (ACE) RIs. 1.x Design &amp; Engineering</i>
<a href="#"><u>922-094</u></a>	<i>Communication Server 1000 RIs.5.0 Dialing Plan Design &amp; IP</i>
<a href="#"><u>920-197</u></a>	<i>BCM50 RIs.2.0 &amp; BCM200/400 RIs.4.0 Config &amp; Maintenance</i>
<a href="#"><u>922-099</u></a>	<i>Communication Server 1000 RIs.5.0 Linux Platform Base &amp; App</i>
<a href="#"><u>920-199</u></a>	<i>BCM50 RIs. 2.0 &amp; BCM200/400 RIs. 4.0 ICM</i>

## Other Nortel Exams

<a href="#"><u>920-193</u></a>	<a href="#"><u>922-091</u></a>	<a href="#"><u>920-530</u></a>	<a href="#"><u>920-331</u></a>	<a href="#"><u>920-327</u></a>	<a href="#"><u>920-451</u></a>	<a href="#"><u>920-020</u></a>	<a href="#"><u>920-257</u></a>
<a href="#"><u>920-432</u></a>	<a href="#"><u>920-453</u></a>	<a href="#"><u>920-110</u></a>	<a href="#"><u>920-226</u></a>	<a href="#"><u>920-502</u></a>	<a href="#"><u>920-447</u></a>	<a href="#"><u>920-183</u></a>	<a href="#"><u>920-241</u></a>
<a href="#"><u>920-249</u></a>	<a href="#"><u>920-449</u></a>	<a href="#"><u>922-081</u></a>	<a href="#"><u>920-464</u></a>				